

METHOD FOR MANUFACTURING OF MIRROR CASE

BACKGROUND OF THE INVENTION

1. Field of the invention

The present invention relates to the method for manufacturing of mirror case,
5 more particularly to the method capable of manufacturing a mirror case that its appearance is very beautiful because it has the dual structure and the pattern including a logo is printed between two layers.

2. Description of the Prior Art

Generally, the mirror case is comprised of a handle to grip and a body
10 containing a mirror, and the body includes a resting portion capable of resting and fixing a mirror on the body.

The conventional mirror case is manufactured by plastic, metal, etc. and the contents of the mirror case are shown by the printed pattern including a logo and characters or stickers attached on its surface.

15 In such a mirror case, not only the quality of its contents but also design of it is very important. Because a mirror case, which is manufactured to evoke the beauty sense, can be distinguished from another goods, and can invoke desire to purchase from the women.

Therefore, recently when the mirror case is manufactured, it is necessary to
20 equip with various designs and manufacturing methods that can make obvious distinctions so as to be distinguished with the goods of competitive company.

SUMMARY OF THE INVENTION

This invention is established to solve the problems stated above. It is an object

of the present invention to provide with the method for manufacturing of such a mirror case that its appearance is very beautiful because it has a dual structure and a pattern including a logo is printed between two layers.

To achieve the object of the present invention, there is provided with the
5 manufacturing procedure of the mirror case core by injection molding; the forming procedure of the pattern on the surface of the mirror case core; the diluting procedure after mixing a small amount of hardener and antifoam with Formica; the manufacturing procedure of the mirror case that is hardened and dried after forming Formica layer to the outer face of the mirror case core by fixing the mirror case core to the inside of mold
10 and by inputting the Formica dilute solution; the milling processing procedure of the surface of the mirror case; the glossy processing procedure of the surface of the mirror case.

BRIEF DESCRIPTION OF THE DRAWINGS

The above object and advantages of the present invention will become more
15 apparent by describing in detail preferred embodiments thereof to the attached drawings in which;

Fig.1 shows a perspective view of a mirror case manufactured by the method according to the present invention.

Figs. 2 and 3 show the sectional views of a mirror case manufactured by the
20 method according to the present invention.

Fig. 4 shows a process flow of the manufacturing method according to the present invention.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

Referring now to the attached drawings, the embodiments according to this invention are described in detail. Fig. 1 is a perspective view of a mirror case manufactured by the method according to the present invention, Figs. 2 and 3 are the sectional views of a mirror case manufactured by the method according to the present invention, and Fig. 4 is a process flow showing the manufacturing method according to the present invention.

The mirror case manufactured according to the present invention, as shown in the figures, is comprised of two-layered structure that the transparent Formica layer (30) is formed to the surface of the mirror case core (10) as case type and the pattern (20) is printed between the mirror case core (10) and the Formica layer (30). The manufacturing procedure will be described in detail as given below.

Firstly, a body (2) that can rest and fix the mirror (1) and a mirror case core (10) as a handle (3) are manufactured by injecting of the plastic. Like this, it is desirable to manufacture a beautiful colored mirror case core (10) by using the resin fusion liquid mixing resin with pigment at injecting of the mirror case core (10).

If a body and a mirror case core (10) as a handle are manufactured by injecting of plastic, the pattern (20) including a logo and characters is formed into its surface. Here, it can be possible to print the pattern (20) on the surface of the mirror case core (10), to attach a sticker on which the pattern (20) is printed, or to form the pattern infixed to its surface at injection of the mirror case core (10).

After that, a small amount of hardener and antifoam is appended at the dilution of Formica. Generally, Formica is called to the unsaturated polyester resin on the tempered plastic liquid and it is comprised of the chain structure by Styrene that is

thermosetting plastics resin, has very strengthen adhesive force, and smells as a gas and Polyester, it has such a characteristics that it is hardened by the chemical reaction according to combining with the hardener. In the present invention, the antifoam and the hardener is appended into Formica for removing of foam that is generated at founding.

5 After making the dilute solution of Formica, the mirror case (40) is manufactured by fixing said the mirror case core (10) to the inner of the mold, forming Formica layer (30) to the surface of the mirror case core (10) by hardening and drying it for about 10 ~ 20 minutes after injecting of the Formica dilution liquid to the mold (not shown).

10 And, its surface is milled and fabricated by the lathe for smoothly fabricating of its surface because of rough and irregular of the surface of the molded Formica layer (30) after taking out the mirror case (40) that has been hardened and dried in the mold.

 Lastly, the surface of the mirror case (40) is mercerized since the surface of the mirror case (40) has milled and fabricated but here, it becomes to be done the finishing
15 working for gloss by coating of the glossy liquid after fabricating the outer face of the mirror case (40) that has milled and fabricated by the lathe by the sand paper that its particle is very fine.

 In the mirror case manufactured by the method as mentioned in above, its appearance is more beautiful and unique than the prior mirror case that is manufactured
20 by only metal and has the simple design that the simple pattern is printed on its surface because it is comprised of the dual structure equipping with the beautiful colored mirror case core (10) to the inside and forming the glossy transparent Formica layer (30) and it has such a pattern that is formed between the mirror case core (10) and Formica layer (30). Therefore, the present invention is more suitable to the modern who seeks to

refreshment and individuality.

As stated in above, the present invention is characterized that even though the mirror case is used for a long time, the pattern (20) is not disappeared because the pattern (20) is formed between the mirror case core (10) and Formica layer (30), and
5 also that provides with the method for manufacturing of such a mirror case that has an individuality and more high-grade beauty sense that is distinguished from the prior goods because of its dual structure.